Multi-Resolution Climate Modeling

Principal Investigator Ferdinand Baer

Co-Principal Investigators Joseph J. Tribbia Aimé Fournier

This project will create a global climate model with features that provide the best available climate predictions on regional as well as global scales, since regional climate events may be the predominant manifestations of global climate change. Concurrent with developing a model that can predict climate "seamlessly" across many scales, one must acknowledge the inherent variability of a model, which can only overcome by using statistics from a number of model climate realizations. Thus model computations must be as rapid as possible to provide these statistics in a practically useful time frame.

The method proposed herein for construction of the model is ideally suited to satisfy the requirements outlined above. By tiling the spherical domain with elements that can be sized arbitrarily to meet local scaling requirements (called spectral elements), the model can produce predictions on a range of scales over the entire global domain, allowing necessary scale interactions without user interference in the computational process. The method takes optimum advantage of parallel processing by minimizing communications amongst the elements and processors. This procedure has yielded dramatic speedup of the dynamics computations, making the production of multiple realizations more feasible. Finally, the model will serve as a research and training tool.

Relevant Publications

Baer, F., 2000: Numerical weather prediction. Advances in Computers, 52, 91-157.

Baer, F., J. J. Tribbia, and M. Taylor, 2000: Global and regional atmospheric modeling using spectral elements. Proceedings, IUTAM Symposium, Advances in Mathematical Modeling of Atmosphere and Ocean Dynamics, University of Limerick, Ireland, 2 July - 8 July 2000.

Baer, F., and Banglin Zhang, 1999: An efficient time integration scheme for climate prediction. *Tellus*, **51A**, 652-662.

Baer, F., Banglin Zhang and Bing Zhang, 1998: Optimizing computations in weather and climate prediction models. *Meteorol. Atmos. Phys.*, **67**, 153-168.

Baer, F., and J. J. Tribbia, 2001: Sensitivity of atmospheric prediction models to amplitude and phase. Submitted.

- Baer, F., 1995: Experiments in optimum three-dimensional truncation. <u>Modern Dynamical Meteorology</u>, Proceedings from a Symposium in honour of Professor Aksel Wiin-Nielsen, Copenhagen, Denmark, 1995, Ed. by Peter D. Ditlevsen, pp 9-14.
- Fournier, A., "Atmospheric energetics in the wavelet domain I: Governing equations and interpretation for idealized flows," *J. Atmos. Sci.*, in press (2001)
- Fournier, A., "Introduction to orthonormal wavelet analysis with shift invariance: Application to observed atmospheric blocking spatial structure," *J. Atmos. Sci.*, **57**, 3856-3880 (2000).
- Fournier, A., J. Tribbia and M. A. Taylor, 2000: "Blocking in the spectral element atmospheric model: Effect of topography and resolution," *Proc. 8th Annual Conf. CFD Soc. Canada*, Montréal, 207-214.
- Fournier, A., M. A. Taylor, and J. Tribbia, 2000a: Spectral element method Part 1: Numerical algorithms. *Proc. 8th Annual Conf. CFD Soc. Canada*, Montréal, 173-180. ftp://ftp.cgd.ucar.edu/pub/fournier/publications/AlNu.ps.gz
- Fournier, A., M. A. Taylor, L. M. Polvani, and R. Saravanan, 2000b: Spectral element method Part 2: Numerical simulations. *Proc. 8th Annual Conf. CFD Soc. Canada*, Montréal, 181--188. ftp://ftp.cgd.ucar.edu/pub/fournier/publications/NuSi.ps.gz
- Fournier, A., "Transfers and fluxes of wind kinetic energy between orthogonal wavelet components during atmospheric blocking," Chapter 7 of *Wavelets in Physics*, J. C. van den Berg, Ed., Cambridge Univ. Press, 263--297 (1999).
- Fournier, A., *Wavelet Analysis of Atmospheric Blocking Dynamics and Energetics*, Ph. D. dissertation, Yale Univ., 269 pp. (1998).
- Haidvogel, D., E. Curchitser, M. Iskandarani, R. Hughes and M. Taylor, *Global modeling of the ocean and atmosphere using the spectral element method*, Atmosphere-Ocean Special 35 (1997) 505–531.
- Komatitsch, D., Martin, R., Tromp, J., Taylor, M. A., and Wingate, B. A., 1999: Wave propagation in 2-D elastic media using a spectral element method with triangles and quadrangles. Submitted to *J. Comput. Acoustics*, October. http://www.seismology.harvard.edu/~komatits/triangles.pdf
- Loft, R. D. and S. J. Thomas, 2000: Semi-implicit spectral element techniques for atmospheric general circulation models. 9th ECMWF Workshop on High-Performance Computing in Meteorology, Reading, U. K.
- Mizzi, A., J. Tribbia and J. Curry, 1995: Vertical Spectral Representation in Primitive Equation Models of the Atmosphere. *Mon. Wea. Rev.*, **123**, 2426—2446.

Spotz, W., M. Taylor and P. Swarztrauber, *Fast and high-order solutions to the spherical shallow water equations*, Appl. Numer. Math. 2000.

Spotz, W., M. Taylor and P. Swarztrauber, *Fast Shallow Water Equation Solvers in Latitude-Longitude Coordinates*, J. Comput. Phys. 145 (1999) 432-444.

Taylor M. and B. Wingate, A generalized diagonal mass matrix spectral element method for non-quadrilateral elements, Appl. Num. Math. 2000.

Taylor, M., J. J. Tribbia and M. Iskandarani, 1997a: The spectral element method for the shallow water equations on the sphere. *J. Comput. Phys.*, 130, 92-108.

Taylor, M., R. Loft, and J. Tribbia, 1997b: Performance of a spectral element atmospheric model (SEAM) on the HP Exemplar SPP2000. Technical Report TN-439+EDD, NCAR. [http://www.scd.ucar.edu/css/staff/taylor/doe/seam.ps.gz]

Thomas, S. J. and R. D. Loft, 2001: Parallel semi-implicit spectral element methods for atmospheric general circulation models. *J. Sci. Comp.*, accepted.

Thomas, S. J. and R. D. Loft, 2000: Parallel spectral element atmospheric model. International Parallel CFD 2000 Conference, Norwegian University of Science and Technology (NTNU), Trondheim, Norway, May 22-25, 2000. Elsevier publishers.

Thomas, S. J., R. Loft, W. Spotz and A. Fournier, 2000: Semi-implicit scheme for the spectral element atmospheric model. *Proc. 8th Annual Conf. CFD Soc. Canada*, Montréal, 231-238.